20

(18)

16 Type D Unit Outside Slide



#### Architectural Sliding Glass Door

CROSSTRAK™ Series

(18)


(16)

Half Slide

(6)

(6)

6



**Section Contents** Page(s)

D2-2 thru D2-13 Details

Screens D2-14 **Glazing Options** D2-15

#### **AAMA Test Configurations** (shown)

Architectural AW Class


For air, water, cycling and structural


Type A Unit Inside Slide Fixed Frame Size 60" x 99" Fixed 1524 mm x 2515 mm **Gateway Sizes** 122" X 94.5" Type A, 3102 mm × 2400 mm Sliding Patio Door Frame Size 240.5" x 94.5" Type C, 4610 mm x 2400 mm Sliding Patio Door Frame Size 181.5" x 94.5" Type E 6113 mm x 2400 mm (8)

#### NFRC 100 Thermal Test Configurations (shown)

For U-Factor, SHGC and CR


Fixed Frame Size x 59" 1194 mm x 1499mm Sliding Patio Door Frame Size 80" x 80" 2032 mm x 2032 mm






Contact A Wausau Representative For Other Possible Configurations.

CROSSTRAK<sup>™</sup> Series












CROSSTRAK™ Series




 $CROSSTRAK^{\mathsf{TM}} \; \mathsf{Series}$ 









 $\mathsf{CROSSTRAK}^\mathsf{TM}$  Series



 $\mathsf{CROSSTRAK}^\mathsf{TM}$  Series




# Heavy Duty Operable Jamb




Fixed/ Heavy Duty Operable



CROSSTRAK<sup>TM</sup> Series











CROSSTRAK™ Series




CROSSTRAK<sup>TM</sup> Series





#### CROSSTRAK<sup>™</sup> Series



7 1/8"


(181.0 mm)


(22)

Operable/Fixed Stack


outside Slide

CROSSTRAK™ Series






 $CROSSTRAK^{\mathsf{TM}} \; \mathsf{Series}$ 



Heavy Duty Conventional




Heavy Duty Lift and Slide




### CROSSTRAK<sup>TM</sup> Series


Non-stocked items shown — Minimum order quantity may apply



CROSSTRAK<sup>TM</sup> Series




 $\mathsf{CROSSTRAK}^\mathsf{TM}$  Series




1" Insulating Glass
Operable Inside Glazed


1" Insulating Glass Fixed Inside Glazed




1-3/8" Insulating Glass
Operable Inside Glazed



1-3/8" Insulating Glass
Fixed Inside Glazed



2" Panel Inside Glazed



1-3/8" Spandrel Glass Outside/Inside Glazed