



WAUSAU

WINDOW AND WALL
SYSTEMS

Curtainwall Elevation

Unitized Curtainwall


6250i and 7250i-HRX INvision™ Series

24.0mm Thermal Barrier

Section Contents

Page(s)

Details.....	C10d-2 thru C10d-9
Anchor Options	C10d-10 and C10d-11
Insert Vents	C10d-12 and C10d-13



6250i-HRX and 7250i-HRX INvision

24.0 mm Thermal Barrier



WAUSAU

WINDOW AND WALL
SYSTEMS


Unitized

Unitized Curtainwall


6250i and 7250i-HRX INvision™ Series

Non-stocked items shown – Minimum order quantity may apply

24.0mm Thermal Barrier



1 Vision/Vision
Horizontal Intermediate



2 Vision
Sill



WAUSAU

WINDOW AND WALL
SYSTEMS


Unitized

Unitized Curtainwall


6250i and 7250i-HRX INvision™ Series

Non-stocked items shown – Minimum order quantity may apply

24.0mm Thermal Barrier



3 Spandrel/Vision
Horizontal Intermediate



4 Spandrel/Spandrel
Horizontal Intermediate



WAUSAU

WINDOW AND WALL
SYSTEMS


Unitized

Unitized Curtainwall


6250i and 7250i-HRX INvision™ Series

Non-stocked items shown – Minimum order quantity may apply

24.0mm Thermal Barrier



5 Vision/Spandrel
Horizontal Stack



6 Vision/Spandrel
Horizontal Stack



WAUSAU



WINDOW AND WALL
SYSTEMS

Unitized

Unitized Curtainwall

6250i and 7250i-HRX INvision™ Series

24.0mm Thermal Barrier



8 Vision/Vision
Horizontal Intermediate



WAUSAU

WINDOW AND WALL
SYSTEMS


Unitized

Unitized Curtainwall


6250i and 7250i-HRX INvision™ Series

Non-stocked items shown – Minimum order quantity may apply

24.0mm Thermal Barrier



9 Vision/Vision
Mullion Stack



10 Spandrel/Spandrel
Mullion Stack

I-values indicated are for frame members only.
Thermal barrier shear reduction of 10% included.

SCALE: 6" = 1'-0"

C10d-6

© 2015 Apogee Wausau Group, Inc.



WAUSAU


WINDOW AND WALL
SYSTEMS

Unitized

Unitized Curtainwall


6250i and 7250i-HRX INvision™ Series

24.0mm Thermal Barrier



11 Vision/Vision
Mullion Stack

12 Spandrel/Spandrel
Mullion Stack



I-values indicated are for frame members only.
Thermal barrier shear reduction of 10% included.



WAUSAU

WINDOW AND WALL
SYSTEMS


Unitized

Unitized Curtainwall

6250i and 7250i-HRX INvision™ Series

Non-stocked items shown – Minimum order quantity may apply

24.0mm Thermal Barrier





WAUSAU

WINDOW AND WALL
SYSTEMS

Unitized


Unitized Curtainwall

6250i and 7250i-HRX INvision™ Series

Non-stocked items shown – Minimum order quantity may apply

24.0mm Thermal Barrier

14 Vision/Vision 90° Inside Corner




Unitized Curtainwall

6250i and 7250i-HRX INvision™ Series


Non-stocked items shown – Minimum order quantity may apply

Shown with 6250i-HR framing






Note read-through
at offset IGU edge(s)

3/4"
(19.1 mm)



Used at hinge side
and where clearance is required



Offset IGU edge not
recommended at sill



WAUSAU


WINDOW AND WALL
SYSTEMS

Anchorage

Unitized Curtainwall

6250i and 7250i-HRX INvision™ Series

Shown with 6250i-HR Mullion



SCALE: 6" = 1'-0"

C10d-11



© 2015 Apogee Wausau Group, Inc.

Unitized Curtainwall



6250i and 7250i-HRX INvision™ Series

Non-stocked items shown – Minimum order quantity may apply

Shown with 6250i-HR framing



Vent and frame die profiles
vary depending on hardware selection





Unitized Curtainwall

6250i and 7250i-HRX INvision™ Series


Non-stocked items shown – Minimum order quantity may apply

Shown with 6250i-HR framing





Note read-through
at offset IGU edge(s)

3/4"
(19.1 mm)



Used at hinge side
and where clearance is required



Offset IGU edge not
recommended at sill