



Miami Dade Product Control Approved:

Fixed window, large D and E missile
Notice of Acceptance (NOA) #130917.06
Miami-Dade County, Florida, 25Apr23

PO casement window, large D and E missile
Notice of Acceptance (NOA) #13-0917.05
Miami-Dade County, Florida, 25Apr23

PI casement window, large D and E missile
Notice of Acceptance (NOA) #13-0917.04
Miami-Dade County, Florida, 25Apr23

PI hopper window, large D missile
Notice of Acceptance (NOA) #13-0917.08
Miami-Dade County, Florida, 25Apr23

PO awning window, large D and E missile
Notice of Acceptance (NOA) #13-0917.07
Miami-Dade County, Florida, 25Apr23



Features

- ✓ 3-7/8" (3250i) and 4-7/8" (4250i) frame depth
- ✓ 24mm XLT polyamide thermal barrier
- ✓ AAMA AW-100 Architectural Performance Class
- ✓ Fixed, project-in or project-out casement, project-out awning or project-in hopper
- ✓ Integral blinds with access doors available
- ✓ Conventional hardware or multi-lock option
- ✓ Large "D" missile impact tested for basic protection in Wind Zones 1-4
- ✓ "E" missile impact tested for essential facilities' enhanced protection in Wind Zones 3-4
- ✓ Tested with receptors and steel strap anchors to address varying substrate configurations
- ✓ Offered through Advantage by Wausau
- ✓ High recycled content extruded aluminum framing

Performance

Allowable Air
0.10 cfm/sqft at 6.24 psf
Water
15 psf
NFRC U-Factor
0.34 to 0.64 BTU/hr.sqft.°F (est)
CRF_f
49 to 65 (est)
STC
34 to 43 (est)



DISCLAIMER: Wausau Window and Wall Systems takes no responsibility for product selection or application, including, but not limited to, compliance with building codes, safety codes, laws, merchantability or fitness for a particular purpose; and further disclaims all liability for the use, in whole or in part, of this Technical Guide in preparation of project specifications and/or other documents. Technical Guides are subject to change at any time, without notice, and at Wausau's sole discretion. ©2014 Apogee Wausau Group, Inc.