




































WAUSAU SuperWall is a screw-spline pressure wall now offered in stock lengths for customer fabrication, shipping in three weeks - in any color. Two complete standard 2 1/2" face width systems are available, 6250 Series (6 1/4" overall depth) and 8250 Series (8 1/4" overall depth). Refer to guide specifications, test reports, system details, and fabrication/installation instructions for complete information. Please provide quantities in the space provided below.

Date: _____	Company: _____
Project Name: _____	Contact Name: _____
Project Location: _____	Phone: _____
Quote Due Date: _____	Fax/E-Mail: _____ / _____
Ship Date Requested: _____	Finish/Color: _____ / _____

MAIN FRAMING (All at 24'-2" in length)			
Description	Configuration (6250 Series shown)	6250 Series Part No. 4" back tube depth Quantity Required	8250 Series Part No. 6" back tube depth Quantity Required
Tube Frame		T862763	T861642
		Qty (pcs) : _____	Qty (pcs) : _____
Open Back Frame		T862787	T863975
		Qty (pcs) : _____	Qty (pcs) : _____
Female Stack Mullion		T862751	T867153
		Qty (pcs) : _____	Qty (pcs) : _____
Male Stack Mullion		T862971	T867165
		Qty (pcs) : _____	Qty (pcs) : _____
Female Structural Glazed		T864541	T867749
		Qty (pcs) : _____	Qty (pcs) : _____
Male Structural Glazed		T864163	T867751
		Qty (pcs) : _____	Qty (pcs) : _____

OTHER FRAMING (All at 24'-2" in length)			
Description	Configuration (6250 Series shown)	6250 Series Part No. 4" back tube depth Quantity Required	8250 Series Part No. 6" back tube depth Quantity Required
Female Corner Mullion Inside/Outside 90° Structural Glazed		T867517	T960310
		Qty (pcs) : _____	Qty (pcs) : _____
Male Corner Mullion Inside/Outside 90° Structural Glazed		T867529	T960308
		Qty (pcs) : _____	Qty (pcs) : _____
Self-Mating Corner Outside 90° Captured Glazing		T871299	Not Offered
		Qty (pcs) : _____	
Tube Mullion Structural Glazed		T866501	
		Qty (pcs) : _____	

PRESSURE PLATES, SNAP-ON COVERS and SPLICES (All at 24'-2" in length)			
Description	Configuration (6250 Series shown)	6250 Series Part No. 4" back tube depth Quantity Required	8250 Series Part No. 6" back tube depth Quantity Required
2 1/2" Pressure Plate (Pre-punched)		T866393	
		Qty (pcs) : _____	
2 1/2" Snap-on Cover		T860753	
		Qty (pcs) : _____	
Extruded Mullion Splices		T865674	T865662
		Qty (pcs) : _____	Qty (pcs) : _____

ACCESSORIES			
(Please note package quantities.)			
Description	Configuration	Part No. and Package Quantity	Quantity Required
PVC Glazing Spacer		T432 10'-0" pcs	_____ (pcs)
Rigid cPVC Spandrel Adaptor		T442 12'-0" pcs	_____ (pcs)
Extruded Aluminum Spandrel Adaptor		T906148 24'-2" pcs	_____ (pcs)
Extruded Aluminum SSG Spandrel Adaptor		T880119 24'-2" pcs	_____ (pcs)
EPDM Adaptor Insert Used with T906148		T418 750' per roll	_____ (rolls)
Extruded Alum. Connector Used with T871299	 1.5"x 1.5" x 0.125"	T880200 24'-2" pcs	_____ (pcs)
Beveled Corner Washer Used with Corner Dies		T136217 100 pcs per package	_____ (pkgs)
EPDM Thermal Separator		T5037 800' per roll	_____ (rolls)
Dual Durometer Framing Weather Strip		T9680 4,000' per roll	_____ (rolls)
Neoprene Corner Framing Weather Strip		T6925 500' per roll	_____ (rolls)
Interior EPDM Sponge Glazing Gasket		T5141 500' per roll	_____ (rolls)
Exterior Dense EPDM Glazing Gasket		T6183 500' per roll	_____ (rolls)
20 ppi Foam Baffle Used at SSG cover weeps		T134867 50 pcs per package	_____ (pkgs)
Tremco GT-922 Tape 1/4" x 1/2"		T142712 1,000' per roll	_____ (rolls)
Sponge Neoprene Zone Dam (Captured Glazing)		T133643 50 pcs per package	_____ (pkgs)
Sponge Neoprene Zone Dam (Structural Glazing)		T136906 50 pcs per package	_____ (pkgs)
Sponge Neoprene Zone Dam (90° corners)		T137170 50 pcs per package	_____ (pkgs)
EPDM Setting Block		T9161 50 pcs per package	_____ (pkgs)
SS Pressure Plate Fasteners #14 x 1.0" HWH SS SMS		T51602 100 pcs per package	_____ (pkgs)
SS Fabrication Fasteners #10 x 1.5" Torx Pan Hd SS SMS		T54305 100 pcs per package	_____ (pkgs)
SS Fabrication Fasteners #10 x 3.5" PH Pan Hd SS SMS		T40652 100 pcs per package	_____ (pkgs)
SS Fabrication Fasteners #10 x 1.25" PH FL SS SMS		T510453 100 pcs per package	_____ (pkgs)

DISCLAIMER: Wausau's Standard Limited Warranty applies, and Wausau makes no representation or other warranty, either expressed or implied, regarding the product, or its selection and application, including, but not limited to; compliance with building codes, safety codes, laws, merchantability, or fitness for a particular purpose.